Form 18686 September, 1933 PRINTED IN U. S. A.

LIST of PARTS



MACHINE No. 105-20

THE SINGER MANUFACTURING COMPANY

COPYRIGHT, U. S. A., 1932 AND 1933,
BY THE SINGER MANUFACTURING CO.
ALL RIGHTS RESERVED FOR ALL COUNTRIES

INSTRUCTIONS FOR OILING

Before starting the machine apply Singer Cloth and Leather Oil to all oil holes and bearings. Particular care should be taken to see that a sufficient quantity of oil is poured into the oil hole leading to the oil reservoir at the back of the machine. The main bearings of the machine are lubricated by means of this oil reservoir which should be kept filled with oil. When the machine is in continuous use, it should be oiled frequently.

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked "For Singer Machines" are not Singer made needles.

INDEX

		\mathbf{P}	GE
Accessories			14
EDGE FOLDER			14
KNEE LIFTER PARTS			
Machine Base			
Machine No. 105-20			
NUMERICAL LAST OF PARTS			
Whoman Hamanage			

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the part NUMBER in the FIRST column.

The number stamped on a Sewing Machine Part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A—Hardened, Polished, Nickel Plated and Buffed B—Polished, Nickel Plated and Buffed C—Hardened Only

D-Polished Only

E-Soft, Not Polished

F-Hardened and Polished

H---Blued

J—Nickel Plated Only

K—Hardened and Nickel Plated

L—Brass Plated

M-Oxidized

N—Japanned, Dull

P--Japanned, Bright

R—Merlized

T-Copper Plated

T. A.—Hardened, Polished, Copper and Nickel Plated and Buffed

T. B.—Copper and Nickel Plated and Polished
T. J.—Copper and Nickel Plated Only
T. K.—Hardened, Copper and Nickel Plated
T. M.—Copper Plated and Oxidized

T. L—Copper and Brass Plated U—Zinc Plated

V.—Silver Plated

W-Polished and Nickel Plated

Y-Black Nickel Plated Only

Z—Chromium Plated

Z. B.—Polished, Nickel Plated, Buffed and Chromium Plated

Z. J.—Nickel and Chromium Plated

These letters MUST BE USED when they appear in the list; and AFTER the number as in the list.

In this series:

1 to 1500 and 50001 to 51500 are Serew Numbers

1501 to 1800 and 51501 to 51800 are Nut Numbers

1801 to 2000 and 51801 to 52000 are Roller Numbers


2001 to 50000 and 52001 and upward are numbers of Machine Parts

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (*) are furnished only when repairs are made at factory.

When ordering parts which differ as to Gauge (the distance between seams) the Gauge, as well as the Number must be given on order.

LIST OF PARTS COMPLETE **FOR**



MACHINE No. 105-20

FOR HEMMING SILK GLOVES AND SIMILAR WORK IN LIGHT MATERIAL. TWO NEEDLES, ONE LOOPER. GAUGES 1/4 AND $\frac{1}{8}$ INCH. BALANCE WHEEL No. 59208. DIAMETER OF BELT GROOVE 23/16 INCHES. SPEED 3500.

no. *59399		and two 15405
59491 59523	$7365 \\ 7355$	Arm Rotary Shaft Bushing (back) with
	7355	52045
12850	7364	Arm Rotary Shaft Bushing (back) Set Screw

NO.	PLATE	NAME
59524	7355	Arm Rotary Shaft Bushing (front) with
0.0021	1000	52045
52045	7355	Arm Rotary Shaft Bushing (front) Packing
		(cotton)
4480	7364	Arm Rotary Shaft Bushing (front) Set
		Screw
59525	7355	Arm Rotary Shaft Bushing (intermediate)
		with 52045
52045	7355	Arm Rotary Shaft Bushing (intermediate)
		Packing (cotton)
12850	7364	Arm Rotary Shaft Bushing (intermediate)
		Set Screw
59207	7365	Arm Side Cover
1423.	7364	" " Screw
59208	7365	Balance Wheel, 23/6 in. diam., with 424c
		and 1354c
1354	g 7364	Balance Wheel Position Screw
424	c 7364	" Set Screw
59401	7367	Cloth Plate with 59292
59307	7365	" " Slide (left)
59308	7365	" " (right)
59292	7364	" " Steady Pin
59402		Cloth Plate complete, Nos. 59307, 59308
		and 59401
1149e	c 7364	Cloth Plate Screw
59209	7365	Feed Bar with two each 458c and 882c
59440		" 59209 with 59210 and 59211
59210	7365	" Carrier with two each 449c and
		458c
57234	7355	Feed Bar Carrier Hinge Pin Bushing
57235	7355	" " Bushing
4576	c 7364	17 (6
		Screw
458		Feed Bar Carrier Hinge Pin Set Screw
59211	7355	Hinge in
882		Det Detew
59403	7363	rog, 15 (eeth (15 teeth to the men)
	500 A	for 59431
176		Feed Dog Serew
*59213		" Eccentric Body with 42727
*59494		" " Set Screw
51061		" " Clamping Washer
7071 217	7357 E 7364	" " Screw
$-\frac{217}{59495}$		Feed Eccentric (adjustable) complete, Nos.
09490	(555	217E, 7071, 50328c, 59213, 59494 and two
		51061e510628e, 59213, 59494 and two
		01001C.,

NO. PLATE		NAME
59216 7355	Feed Eccentr	ic Connection
59217 7355		" Bar with 59218
59218 7355	"	" " Plug
449c 7361	"	" " Set Screw
59518 7357	" Lifting	Eccentric with two 50150c
59519		" 59518 with 59220
59220 7357	"	" Connection
59221 7357		" " Bar with
39221 1001	59218	
59218 7355	Feed Lifting	Eccentric Connection Bar
39213 1000	Plug	,
458c 7364	Feed Lifting	Eccentric Connection Bar
3000 1001	Set Screw.	,
42727 7364	Feed Lifting	Eccentric Position Pin
12121	" "	" Set Screw
0.01	" Domila	ting Screw
50328c 7364	T Regula	590j and 59408
59405 7357	Looper with	ier with 50395c
59381 7357	· · · · · · · · · · · · · · · · · · ·	Driver with two 1186E
59406 7357	**	" Clamping Screw
1186E 7357	**	" Timing Screw
207л 7364	•	
59225 - 7357	.,	Hole Plug
59226 - 7357		Shaft
59227 - 7357		Chank with Tribe
1143E 7357		Champing berew
-59407 - 7356		lle Guard with 54707
54707 - 7356		I III
590± 7357	•••	DUIGW
50395c 7357		Screw
-59408 - 7357		ad Guard
590± 7357	, ,,	" Screw
59409 - 7350	Needle Bar	(hollow) with 906c
59410 7350		Bushing (lower)
462c 7364		" Set Screw
42253 - 7350		" (upper)
462c 7364	1 " "	" Set Screw
59236 7350	; " "	Connecting Bracket with 1751
	and $460c$.	
175j 7364	1 Needle Bar	Connecting Bracket Clamping
- •	Screw	
59237 7350	Needle Bar	Connecting Link
40247 7356		" " Hinge Pin
10211 1000	(lower)	
208F 736	1 Needle Bar	Connecting Link Hinge Pin
₽00E 100	(lower) Se	et Screw
40247 7356	Needle Bar	Connecting Link Hinge Pin
40541 1000	(unner)	
	(uppor)	

18686 - 3

NO. i	PLATE	NAME
460c		Needle Bar Connecting Link Hinge Pin
400C	7004	(upper) Set Screw
59238	7356	Needle Bar Lever with 208r, 448c and
		1036c
59607	7365	Needle Bar Lever Connecting Rod with 55515, 59242, 59503, 128835 and two each 141E and 647E
59608	- • -	Needle Bar Lever Connecting Rod 59607 with 59240 and 59605
59240	7357	Needle Bar Lever Connecting Rod Ball Stud
1036c	7357	Needle Bar Lever Connecting Rod Ball Stud Set Screw
*59503	7365	Needle Bar Lever Connecting Rod Cap (lower)
141E	7364	Needle Bar Lever Connecting Rod Cap (lower) Screw
*59242	7365	Needle Bar Lever Connecting Rod Cap (upper)
647E	7364	Needle Bar Lever Connecting Rod Cap (upper) Screw
59605	7356	Needle Bar Lever Connecting Rod Eccentric with 448c, 1299c and two 59606
59606	7356	Needle Bar Lever Connecting Rod Eccentric Lubricating Pad (wood)
128835	7356	Needle Bar Lever Connecting Rod Eccentric Oil Cup
1299c	7356	Needle Bar Lever Connecting Rod Eccen- tric Position Screw
448c	7364	Needle Bar Lever Connecting Rod Eccentric Set Screw
42077	7356	Needle Bar Lever Connecting Rod Guide
187л	7361	ic ii ii ii ii ii
		Screw
59245	7356	Needle Bar Lever Connecting Rod Guide Stud
59246	7356	Needle Bar Lever Connecting Rod Guide Stud Bracket with 59245
1935	7357	Needle Bar Lever Connecting Rod Guide Stud Bracket Screw
55515	7356	Needle Bar Lever Connecting Rod Oil Pad (braided cotton)
59247	7358	Needle Bar Lever Hinge Pin
59248	7358	" " " Bushing
6246	7364	(back)

NO. PLATE	NAME
59249 - 7358	Needle Bar Lever Hinge Pin Bushing
	(front)
465c 7357	Needle Bar Lever Hinge Pin Bushing
	(front) Set Screw
448c 7364	Needle Bar Lever Hinge Pin Set Screw
59412 - 7358	" Clamp with 46478 and two 50505r
46478 - 7358	" "Thread Guide
59321 - 7358	" Guard
171 _F 7364	" " Screw
50505 7358	" Set Screw
59544 - 7358	Presser Bar
59252 - 7358	Tousning (lower)
465c 7357	Det Delew
42253 - 7356	(upper)
465c 7357	Det Detew
59253 - 7358	" Lifter
51815 7358	" Roher and Stud
89 F 7358	Tinge Sciew
50138E 7364	Dtop belew
59505 - 7358	Intility Tracket with 3013,
	1143c, 51810, 51811 and 51815
391 _J 7358	Presser Bar Lifting Bracket Adjusting
	Screw Presser Bar Lifting Bracket Guide
59506 7358	" " Set Screw
624c 7364	" " Set Screw
1143c 7357	1966 Delew
59257 7359	" " Spring
59258 7358 51810 7358	" " Roller and Stud
01020	" Foot Hinge Pin
00110	" " Plate
59414 —— 59415 ——	" " Shank
59416 7363	Presser Foot (hinged) complete, Nos. 59413
99410 (909	to 59415
185n 7364	
1317p 7364	
15471 7364	
59264 7358	
95c 7358	
59265 7358	, , , , , , , , , , , , , , , , , , , ,
87c 7358	'
59417 7361	,
59418 7359	
59419 7359	
0.0313 1000	63767
63767 7362	
63767 7362	
00101 1002	

NO.	PLATE			NA	MID		
228ı	7364	Q11. /	Phasad		мь Eyelet 8	·	
ມມວນ 193a	• • • • •	mack.	r nread	run-on	ryeiet s	screw	• • • • •
	7357	"	"		Serew		
59420	7359	"	ù	Regulat	or		
59267	7359		"	"	Holde	r with	465c
59268	7359	••			"	Crank	with
		two	465c				
51811	7358				ator He		
465c	7357	Slack			ator He		
		Set 8	Screw		.		
465c	7357	Slack '	Thread	Regulat	or Set S	erew	
59421	7362			er thread	l) Brack	et	
38670	7359	66	"	4.6	"	Stead	y Pin
2102	7362			44	Disc		
51570c	7362	+4	• 6	"	Regula	ting T	humb
		Nut					
50326c	7362	Tensio	n (unde	er threac	l) Screw	Stud	
59539		"			"	" 5°	 1326e
		with					
59534	7362	Tensio	n (unde	r thread	l) Spring		· · · · ·
59537	7362	46	"	16	44	Ruel	in a
	.002	Agre	re)			והווט	iing
59538	7362	Tonein	n fund	or throu	ıd) Spri	nas Die	
00000	1.702	(emo	al)	Ci inica		ng Du	sanng
2102	7362	oina)	n (uma	 .m. thomand) Disc		
51570e	7362	44	и (прре	r unread	.) 171se Regula	41	1
010100	1002	N14				பாதப	nun.b
50326c	7362	Parair.) Screw		
59539	7002	i ensio	и (ирре	r enread) Serew	Bud	
00000		with.	51570			at	ы20С
1547e	7264	Topolo	910700 5 (11155)) Screw		
59535	7362	rensio.	n (appe	r thread	Derew	orag p	vut
59537	7362 7362				Spring		
9993 <i>1</i>	7502	71	,	••	Spring	Bust	iing
F0590	7000	(larg	e). .				
59538	7362				d) Spri		
MODEL O	wa.	(sma	.H)				
59270	7362	Thread	l (under	') Eyelet	· · · · · · · · · · · · · · · · · · ·		
1423ј	7364	"		"	Screw.	• • • • • • •	
59422	7362		"	Nippe	r Bracke	et	
59423		44	"		"	59422	with
		9547	, 59301,	. 59419 ε	and two	63767.	
59301	7362	Thread	l (under) Nippe	r Bracke	t Stud	
452c	7362	"	"	"	"	4.6	Set.
		Screv	<i>v</i>				
59272	7362	Thread	(under) Nippe	r Guide	Plate.	
59273	7362	"	"	44	Releasi	ng Bra	icket
190л	7361	"	"	"	46		"
		Screv	v				

NO. PLATE		NAME
59274 7362	Thread (under)	Nipper Releasing Stud
59275 7362		" Spring
1423J 7364	"	" Screw
9547 7359	"	" " Steady Pin
59276 7362	"	Protector
240r 7362	"	" Set Screw
59277 7359	"	Take-up (left)
59278 7359	"	" (right)
190; 7361	" "	" Screw
59280 7359	" "	" Staple
59281 7359	" "	" " Holder
00202	with 904c	
59282 7359	Thread (unde	r) Take-up Staple Holder
0,000	Collar with	460c
460c 7364		er) Take-up Staple Holder
	Collar Set S	crew.,
59283 7359	Thread (unde	er) Take-up Staple Holder
	Collar Sprin	ıg
236 _F 7364	Thread (unde	er) Take-up Staple Holder
	Collar Sprin	ng Screw
904c 7361	Thread (under	r) Take-up Staple Set Screw
59424 7359	" "	" Stripper
59285 7359) " "	" " Bracket
	with 240r	
596р 7359) Thread (unde	r) Take-up Stripper Bracket
	Screw	
207 _F 736-	Thread (unde	r) Take-up Stripper Screw
59425 7362		r) Check Spring
59426 7360) " "	" " Bracket with
	2273, 59427	and two 904c
2273 - 7360		r) Check Spring Bracket Pin
*59427 7360		" " Stud
452c 736	2 " "	
	Set Screw	
59428 - 7369	0 Thread (upp€	er) Check Spring Regulating
	Stud	
904c 736		er) Check Spring Regulating
		crew
904c 736		er) Check Spring Stop Screw
59429 - 736		Eyelet (side of arm)
50014c 736	_	" " " Serew
59430 - 736		Take-up
906c 736		" Set Screw
59431 736		for 59403
691r 736	••	Screw
*15404		
15405	_ " "	Rivet

ACCESSORIES

NO.	PLATE	NAME
120344	7366	Oiler (copper plated) with 120345
120345	7366	" Spout, 5 in. long
		Serew Driver (large)
		" " (small)
120341	7366	Tweezers (curved)
		Wrench for 1547
		" " 1575

EDGE FOLDER

NO.	PLATE			NAME	
120265	7360	Edge	Folder	(adjustable) on St	ank
14431	7360	"	"	Screw	

KNEE LIFTER PARTS

NO. PLATE	NAME
32040	Chain, 12¾ in. long, with 56864 and 56865
56864 - 7361	" Hook (large)
56865 7361	" (small)
59509 7361	Lifting Lever
21 д 7364	" " Hinge Screw
59510 - 7361	" " Spring
59511 - 7361	" "Stop
219J 7364	" " Screw
7124 - 7367	Rock Shaft
2764 - 7367	" " Hanger (back) with two wood
•	serews 1 in. No. 10
16128 - 7367	Rock Shaft Hanger (front) with two wood
	screws 1 in. No. 10
16646 - 7367	Rock Shaft Knee Arm
16647	Rock Shaft Knee Arm complete, Nos.
	2766, 2767 and 16646
2766 - 7367	Rock Shaft Knee Arm Hub with 356c
356e 7364	" " " Set Screw
2767 - 7367	" " " Plate with 356c
356c 7364	" " Set Serew
6337 - 7367	" " Lifting Bracket with two 356c
6338 - 7367	" " " Hook
356c 7364	" " " " Set Screw
356c 7364	" " " Set Screw
32134 - 7367	" "Spring

NO. PLATE 2770 7367 356c 7364 2770 7367 356c 7364 32135 7367	Rock Shaft Spring Adjusting Dog with 356c " " " Set Screw " " Stop Dog with 356c Rock Shaft complete, Nos. 2764, 6337,
59512	6338, 7124, 16128, 16647, 32134 and three 2770

MACHINE BASE

NO. 59295	PLATE 7367	four ea 1½ in.	ch 84 No.	with 1 10E, 59	.me .00D, 36006, 59296 and
59296	7360	Machine	Base	Cove	r
36006	7360	46	"		Friction Washer
	7364	"	44	"	Hinge Screw
	s 7364	"			V
	7360	"	Cusl	ion (f	elt)

THREAD UNWINDER

FOR THREE SPOOLS

NO. PLATE 225259 20778 225257 20778 150203 ———————————————————————————————————	" " St	" (for the Cust of Cus	one st two st hion (Set S Screw h 200 Lock Positi Rod v	ME pool) with 201018c pools) with 201018c felt) Screw (3883c Nut ion Cup with 208E and 225322 Screw Washer
225322 7361 *150057 150058 20778 *150059 150060 20778	ee ee ee	"	tor 18 B	50057 with 150059 3racket
	and 9	52 5		

NO.	PLATE	NAME
164,	7364	Thread Separator Bracket Arm Clamping Screw
9525	7361	Thread Separator Bracket Arm Clamping Screw Washer
164,	7364	Thread Separator Bracket Screw
9525	7361	" " " Washer
150061		Thread Separator complete, Nos. 1641, 9525, 150058 and 150060
150178	20778	Thread Unwinder complete, Nos. 150061, 2016964, 202490, 225257, 225259, 225324, 225326, 225388 and three each 150203, 225391 and wood screws 38 in. No. 42
27739	7366	Thread Cone (wood) for large cones
225390	7366	" Holder, for inverted cones

Note. Nos. 27739 and 225390 are used with, but not included in 150178.

Genuine Singer Needles should be used in Singer Machines.
These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO." 1

Needles in Containers marked "For Singer Machines" are not Singer made needles. NUMERICAL LIST OF PARTS

FOR

MACHINE No. 105-20

NUMERICAL LIST OF PARTS

NO. PLATE	NAME
21p 7364	Lifting Lever Hinge Screw for 59512
87c 7358	Slack Thread Controller Link Hinge Screw
89r 7358	Proceer Bar Lifter Hinge Screw
95c 7358	Slack Thread Controller Hinge Screw
100р 7364	Machine Base Cover Hinge Screw for
•	59295
141E 7364	Needle Bar Lever Connecting Rod Cap
	(lower) Screw for 59607
164j 7364	Thread Unwinder Thread Separator
	Bracket Arm Clamping Screw for
	150060
164 _J 7364	Thread Unwinder Thread Separator
10,10	Bracket Screw for 150061
171r 7364	Needle Guard Screw
175л 7364	" Bar Connecting Bracket Clamp-
1.00	ing Screw for 59236
176ј 7364	Feed Dog Screw
185н 7364	Presser Foot Screw
187j 7361	Needle Bar Lever Connecting Rod Guide
20,00	Serew
190j 7361	Thread (under) Nipper Releasing Bracket
	Screw
190j 7361	Thread (under) Take-up Screw
193л 7357	Needle Bar Lever Connecting Rod Guide
	Stud Bracket Screw
193л 7357	Slack Thread Pull-off Screw
207л 7364	Looper Carrier Driver Timing Screw
207r 7364	Thread (under) Take-up Stripper Screw
208F 7364	Needle Bar Connecting Link Hinge Pin
	(lower) Set Screw for 59238
208E 7364	
	Screw for 225324
217E 7364	Feed Eccentric Clamping Washer Screw
	for 59495
219j 7364	Lifting Lever Stop Screw for 59512
228j 7364	Slack Thread Pull-off Eyelet Screw
236г 7364	
	Collar Spring Screw
240r 7362	
	59285
356c 7364	Rock Shaft Knee Arm Hub Set Screw for
	2766
356c 7364	Rock Shaft Knee Plate Set Screw for 2767

NO. PLATE	NAME
356c 7364	Rock Shaft Lifting Bracket Hook Set Screw for 6337
356c 7364	Rock Shaft Lifting Bracket Set Screw for 6337
356c 7364	Rock Shaft Spring Adjusting Dog Set Screw for 2770
356c 7364	Rock Shaft Stop Dog Set Screw for 2770
391± 7358	Presser Bar Lifting Bracket Adjusting Serew for 59505
424c 7364	Balance Wheel Set Screw for 59208
448c 7364	Arm Rotary Shaft Bushing (front) Set Screw
448c 7364	Needle Bar Lever Connecting Rod Eccentric Set Screw for 59605
448c 7361	Needle Bar Lever Hinge Pin Set Screw for 59238
449c 7361	Feed Eccentric Connection Bar Set Screw for 59210
452c 7362	Thread (under) Nipper Bracket Stud Set Screw
452c 7362	Thread (upper) Check Spring Bracket Stud Set Screw
457c 7364	Feed Bar Carrier Hinge Pin Bushing Set Screw
458c 7364	Feed Bar Carrier Hinge Pin Set Screw for 59209
458c 7364	Feed Lifting Eccentric Connection Bar Set Screw for 59210
460c 7364	Needle Bar Connecting Link Hinge Pin (upper) Set Screw for 59236
460e: 7364	Thread (under) Take-up Staple Holder Collar Set Screw for 59282
462c 7364	Needle Bar Bushing (lower) Set Screw
462c 7364	" " (upper) Set Screw
465c 7357	" "Lever Hinge Pin Bushing
465c 7357	(front) Set Screw
465c 7357	" " (upper) Set Screw
465c 7357	Slack Thread Regulator Holder Crank
1000. 1001	Set Screw for 59268
465c 7357	Slack Thread Regulator Set Screw for 59267
590л 7357	Looper Needle Guard Screw
590л 7357	" Thread Guard Screw for 59405
596ъ 7359	Thread (under) Take-up Stripper Bracket Screw.
624c 7364	Needle Bar Lever Hinge Pin Bushing (back) Set Screw

NO. PLATE	NAME
624c 7364	Presser Bar Lifting Bracket Guide Set
	Screw
647 E 7364	Needle Bar Lever Connecting Rod Cap
	(upper) Screw for 59607
691r 7363	Throat Plate Screw
840E 7364	Machine Base Screw for 59295
882c 7364	Feed Bar Hinge Pin Set Screw for 59209
904c 7361	Thread (under) Take-up Staple Set Screw
	for 59281
904c 7361	Thread (upper) Check Spring Regulating
	Stud Set Screw for 59426
904c 7361	Thread (upper) Check Spring Stop Screw
900c 7364	" Take-up Set Screw for
	59409
1036c 7357	Needle Bar Lever Connecting Rod Ball
	Stud Set Screw for 59238
1143E 7357	Looper Carrier Shaft Crank Clamping
	Screw for 59227
1143c 7357	Presser Bar Lifting Bracket Set Screw for
	59505
1149c 7364	Cloth Plate Screw
1186e 7357	Looper Carrier Driver Clamping Screw
	for 59406
1285c 7364	Arm Rotary Shaft Bushing (back) Set
	Screw
1285c 7364	Arm Rotary Shaft Bushing (intermediate)
	Set Screw
1299c 7356	Needle Bar Lever Connecting Rod Eccen-
	trie Position Screw for 59605
1317 p. 7364	Pressure Regulating Thumb Screw
1354c 7364	Balance Wheel Position Screw for 59208
1423j 7364	Arm Side Cover Screw
1423j 7364	Thread (under) Eyelet Screw
1423j 7364	" "Nipper Spring Screw
1443ъ 7360	Edge Folder Screw
1547s - 7364	Pressure Regulating Thumb Screw Lock
	Nut
1547E 7364	Tension (upper thread) Screw Stud Nut
2102 - 7362	" (under thread) Disc
2102 - 7362	" (upper thread) Disc
2273 - 7360	
	Pin for 59426
2764 - 7367	Rock Shaft Hanger (back) with two wood
	screws 1 in. No. 10, for 32135
2766 - 7367	Rock Shaft Knee Arm Hub with 356c, for
	16647

NO.	PLATE	NAME
2767	7367	Rock Shaft Knee Plate with 356c, for
2101	1001	16647
2770	7367	Rock Shaft Spring Adjusting Dog with 356c, for 32135
2770	7367	Rock Shaft Stop Dog with 356c, for 32135
4822	7366	Wrench for 1547 (Accessories)
6337	7367	Rock Shaft Lifting Bracket with two
	• (7.5)	356c, for 32135
6338	7367	Rock Shaft Lifting Bracket Hook for 32135
7071	7357	Feed Eccentric Clamping Washer for 59495
7124	7367	Rock Shaft for 32135
9525	7361	Thread Unwinder Thread Separator
0020	1,,,,,	Bracket Arm Clamping Screw Washer for 150050
9525	7361	Thread Unwinder Thread Separator
(/(/=1/	1001	Bracket Screw Washer for 150061
9547	7359	Thread (under) Nipper Spring Steady
(///11	• (7,7,7)	Pin for 59423
*15404		Trade Mark
15405		" " Rivet
16128	7367	Rock Shaft Hanger (front) with two wood
.0.20	1007	screws 1 in. No. 10, for 32135
16646	7367	Rock Shaft Knee Arm for 16647
16647		Rock Shaft Knee Arm complete for 32135,
		Nos. 2766, 2767 and 16646
22003	7366	Wrench for 1575 (Accessories)
26026	7366	Screw Driver (large) Accessories
26485	7366	" (small) Accessories
27739	7366	Thread Unwinder Thread Cone (wood)
		for large cones, for 150178
32040		Chain, 12 ³ 4 in. long, with 56864 and 56865, for 59512
32134	7367	Rock Shaft Spring for 32135
32135	7367	Rock Shaft complete for 59512, Nos. 2764, 6337, 6338, 7124, 16128, 16647, 32134 and three 2770
36006	7360	Machine Base Cover Friction Washer for 59295
38670	7359	Tension (under thread) Bracket Steady Pin
40247	7356	Needle Bar Connecting Link Hinge Pin (lower)
10247	7356	Needle Bar Connecting Link Hinge Pin (upper).
42077	7356	Needle Bar Lever Connecting Rod Guide

NO.	PLATE	NAME
42253	7356	Presser Bar Bushing (upper)
42253	7356	Needle Bar Bushing (upper)
42727	7364	Feed Lifting Eccentric Position Pin for
16161	1001	59494
46478	7358	Needle Clamp Thread Guide for 59412
50014c		Thread (upper) Eyelet (side of arm)
500140	1001	Screw
50138E	7364	Presser Bar Lifter Stop Screw
50150c		Feed Lifting Eccentric Set Screw for
901900	1001	59518
50326c	7362	Tension (under thread) Screw Stud for
		59539 Sanou Stud for
50326c	7362	Tension (upper thread) Screw Stud for 59539
503280	7364	Feed Regulating Screw for 59495
503950		Looper Set Screw for 59381
505058		Needle Set Screw for 59412
510610	7364	Feed Eccentric Body Set Screw for 59495
51570c	7362	Tension (under thread) Regulating Thumb
		Nut for 59539
51570c	7362	Tension (upper thread) Regulating Thumb
		Nut for 59539
51810	7358	Presser Bar Spring Roller and Stud for 59505
51811	7358	Slack Thread Regulator Holder Crank
91811	1000	Roller and Stud for 59505
F101F	7050	Presser Bar Lifter Roller and Stud for
51815	7358	59505
		Arm Rotary Shaft Bushing (back) Pack-
52045	7355	ing (cotton) for 59523
52045	7355	Arm Rotary Shaft Bushing (front) Pack-
		ing (cotton) for 59524
52045	7355	Arm Rotary Shaft Bushing (intermediate)
		Packing (cotton) for 59525
54707	7356	Looper Needle Guard Pin for 59407
55515	7356	Needle Bar Lever Connecting Rod Oil
		Pad (braided cotton) for 59607
56864	7361	Chain Hook (large) for 32040
56865	7361	" (small) for 32040
57234	7355	Feed Bar Carrier Hinge Pin
57235	7355	" " " Bushing
59207	7365	Arm Side Cover
59208	7365	Balance Wheel, 23/16 in. diam., with 424c
		and 1354c
59209	7365	Feed Bar with two each 458c and 882c,
		for 59440

NO.	PLATE	NAME
59210	7365	Feed Bar Carrier with two each 449c and
		458c, for 59440 Feed Bar Hinge Pin for 59440
59211	7355	" Eccentric for 59495
*59213		
59216	7355	" " Connection
59217	7355	" " Bar with 59218 " " Plug for
59218	7355	
		59217
59218	7355	Feed Lifting Eccentric Connection Bar
		Plug for 59221
59220	7357	Feed Lifting Eccentric Connection for
		59519
59221	7357	Feed Lifting Eccentric Connection Bar
		with 59218
59225	7357	Looper Carrier Hole Plug
59226	7357	" " Shaft
59227	7357	" " Crank with 1143E
59236	7356	Needle Bar Connecting Bracket with 1751
		and 460c
59237	7356	Needle Bar Connecting Link
59238	7356	" Lever with 208F, 448c and
		1036c
59240	7357	Needle Bar Lever Connecting Rod Ball
		Stud for 59608
*59242	7365	Needle Bar Lever Connecting Rod Cap
		(upper) for 59607
59245	7356	Needle Bar Lever Connecting Rod Guide
		Stud for 59246
59246	7356	Needle Bar Lever Connecting Rod Guide
		Stud Bracket with 59245
59247	7358	Needle Bar Lever Hinge Pin
59248	7358	" " " " Bushing
		(back)
59249	7358	Needle Bar Lever Hinge Pin Bushing
		(front)
59252	7358	Presser Bar Bushing (lower)
59253	7358	" "Lifter
59257	7359	" "Spring
59258	7358	" " " Block
59264	7358	Slack Thread Controller
59265	7358	" " Link
59267	7359	" Regulator Holder with 465c
59268	7359	" " Crank with
.,,,_,,		two 465c
59270	7362	Thread (under) Eyelet
59272		" "Nipper Guide Plate
59273		" " Releasing Bracket
00210	1	

		N. 1 M. 10
NO.	PLATE	NAME Thread (under) Nipper Releasing Stud
59274	7362	" " Spring
59275	7362	" Protector
59276	7362	" Take-up (left)
59277	7359	" " (right)
59278	7359	" " Staple
59280	7359	" " Holder
59281	7359	II old of
		with 904c
59282	7359	Thread (under) Take-up Staple Holder
		Collar with 460c
59283	7359	Thread (under) Take-up Staple Holder
		Collar Spring
59285	7359	Thread (under) Take-up Stripper Bracket
00200	1000	with 240F
59292	7364	Cloth Plate Steady Pin for 59401
59295	7367	Machine Base with 100p, 36006, 59296
00200	1901	and four each 840E, 59297 and wood
		screws 1½ in. No. 14
59296	7360	Machine Base Cover for 59295
59290	7360	" Cushion (felt) for 59295
59297 59301	7362	Thread (under) Nipper Bracket Stud for
99301	7502	59423
		Cloth Plate Slide (left) for 59402
59307	7365	" " (right) for 59402
59308	7365	
59321	7358	Needle Guard
59381	7357	Arm, upper and lower (solid)
*59399		Cloth Plate with 59292, for 59402
59401	7367	Cloth Plate complete, Nos. 59307, 59308
59402		
		and 59401
59403	7363	Feed Dog, 19 teeth (18 teeth to the inch)
		for 59431
59405	7357	Looper with 590s and 59408
59406	7357	" Carrier Driver with two 1186£
59407	7356	" Needle Guard with 54707
59408	7357	" Thread Guard for 59405
59409	-7356	Needle Bar (hollow) with 906c
59410	-7356	" " Bushing (lower)
59412	2 - 7358	" Clamp with 46478 and two 50505ъ
59413	3 7 363	Presser Foot Hinge Pin for 59416
59414	<u></u>	" " Plate for 59416
59413	j	" " Shank for 59416
59410	5 7363	Presser Foot (hinged) complete, Nos.
		59413 to 59415
59417	7 7361	Stack Thread Pull-off
59418	8 7359	" " Eyelet

		NAME
NO.	PLATE	Slack Thread Pull-off Eyelet Plate with
59419	7359	63767, for 59423
59420	7359	Slack Thread Regulator
59420	7362	Tension (under thread) Bracket
59421	7362	Thread (under) Nipper Bracket for 59423
59423	1002	" " 59422 with
00420		9547, 59301, 59419 and two 63767
59424	7359	Thread (under) Take-up Stripper
59425	7362	" (upper) Check Spring
59426	7360	" " " Bracket
0012		with 2273, 59427 and two 904c
*59427	7360	Thread (upper) Check Spring Bracket
.,,,,121	(1707)	Stud for 59426
59428	7360	Thread (upper) Check Spring Regulating
00120	•	Stud
59429	7360	Thread (upper) Eyelet (side of arm)
59430	7360	" Take-up
59431	7363	Throat Plate for 59403
59440		Feed Bar 59209 with 59210 and 59211
59491	7365	Arm Rotary Shaft
*59494		Feed Eccentric Body with 42727, for
		59495
59495	7355	Feed Eccentric (adjustable) complete,
		Nos. 217E, 7071, 50328c, 59213, 59494
		and two 51061c
*59503	7365	Needle Bar Lever Connecting Rod Cap
		(lower) for 59607
59505	7358	Presser Bar Lifting Bracket with 3911,
		1143c, 51810, 51811 and 51815
59506	7358	Presser Bar Lifting Bracket Guide
59509	7361	Lifting Lever for 59512
59510	7361	Diving to the
59511	7361	" "Stop for 59512 Knee Lifter complete (power table), Nos.
59512		21b, 219a, 32010, 32135, 59509 to 59511
59518	7357	Feed Lifting Eccentric with two 50150c, for 59519
		Feed Lifting Eccentric 59518 with 59220
59519		Arm Rotary Shaft Bushing (back) with
59523	7355	52045
50504	7355	Arm Rotary Shaft Bushing (front) with
59524	6399	52045
59525	7355	Arm Rotary Shaft Bushing (intermediate)
09020	1999	with 52015
59534	7362	Tension (under thread) Spring
59535	•	" (upper thread) Spring
0,000	,0.	V 1 1

NO.	PLATE	NAME
59537	7362	Tension (under thread) Spring Bushing
		(large)
59537	7362	Tension (upper thread) Spring Bushing (large)
59538	7362	Tension (under thread) Spring Bushing (small)
59538	7362	Tension (upper thread) Spring Bushing (small)
59539		Tension (under thread) Screw Stud 50326c with 51570c
59539		Tension (upper thread) Screw Stud 50326c
00000		with 51570c
59544	7358	Presser Bar
59605	7356	Needle Bar Lever Connecting Rod Eccen-
0,,,,,,,	1000	tric with 448c, 1299c and two 59606,
		for 59608
59606	7356	Needle Bar Lever Connecting Rod Eccen-
		tric Lubricating Pad (wood) for 59605
59607	7365	Needle Bar Lever Connecting Rod with
		55515, 59242, 59503, 128835 and two
		each 141E and 647E, for 59608
59608		Needle Bar Lever Connecting Rod 59607 with 59240 and 59605
20828	H0.00	Slack Thread Pull-off Eyelet Plate Pin
63767	7362	for 59419
63767	7362	Slack Thread Pull-off Eyelet Position Pin
		for 59423
120265	-7360	Edge Folder (adjustable) on Shank
120341	7366	Tweezers (curved) Accessories
120344	7366	Oiler (copper plated) with 120345 (Accessories)
4.505.45	5 000	Oiler Spout, 5 in. long, for 120344 (Acces-
120345	7366	sories)
128835	7356	Needle Bar Lever Connecting Rod Eccen-
128833	7550	tric Oil Cup for 59607
*150057		Thread Unwinder Thread Separator for
100001		150058
150058	20778	Thread Unwinder Thread Separator 150057
		with 150059, for 150061
*150059		Thread Unwinder Thread Separator
		Bracket for 150058
150060	20778	
		Bracket Arm with 1641 and 9525, for 150061
150001		Thread Unwinder Thread Separator com-
150061		plete for 150178, Nos. 164J, 9525, 150058
		and 150060
		and 100000

NO. PLATE	NAME
150178 20778	Thread Unwinder complete, for three
	spools, Nos. 150061, 2016961, 202490,
	225257, 225259, 225324, 225326, 225388
	and three each 150203, 225391 and
	wood screws \mathcal{V}_8 in. No. 12
150203	Thread Unwinder Spool Rest Cushion
	(felt) for 150178
200383c 7364	Thread Unwinder Spool Rest Rod Set
	Screw for 202490
201018c 7364	Thread Unwinder Spool Rest Set Screw
	for 225257 and 225259
201696j 7361	Thread Unwinder Thread Guide Lock
	Nut for 150178
202490 20778	Thread Unwinder Spool Stand with
	200383c, for 150178
225257 20778	Thread Unwinder Spool Rest (for two
	spools) with 201018c, for 150178
225259 20778	Thread Unwinder Spool Rest (for one
	• spool) with 201018c, for 150178
225322 - 7361	Thread Unwinder Thread Guide Rod
	Washer for 225324
$225324 \ 20778$	Thread Unwinder Thread Guide Rod
	with 208E and 225322, for 150178
225326 - 7361	Thread Unwinder Thread Guide Position
	Cup for 150178
225388 20778	Thread Unwinder Spool Rest Rod for
	150178
225390 7366	Thread Unwinder Thread Cone Holder,
	for inverted cones, for 150178 Thread Unwinder Thread Guide for 150178
225391 20778	I nread Unwinder I nread Citide for 190178

Genuine Singer Needles should be used in Singer Machines. These Needles and their Containers are marked with the Company's Trade Mark "SIMANCO."


Needles in Containers marked
"For Singer Machines"
are not Singer made needles.


ILLUSTRATIONS OF PARTS


MACHINE No. 105:20


FOR


57234 59211 5921**7**

























59413 69






PLATE 7366-ONE-HALF SIZE




PLATE 7367-ONE-FOURTH SIZE

